CONTENTS

PART 1 JULY 2000

DURAISINGH, M. T., VON SEIDLEIN, L., JEPSON, A., JONES, P., SAMBOU, I., PINDER, M. and WARHURST, D. C. Linkage disequilibrium between two chromosomally distinct loci associated with increased resistance to chloroquine in *Plasmodium falciparum* 1

SNOWDEN, K. F., LOGAN, K. and PHALEN, D. N. Isolation and characterization of an avian isolate of *Encephalitozoon hellem* 9

RANDOLPH, S. E., GREEN, R. M., PEACEY, M. F. and ROGERS, D. J. Seasonal synchrony: the key to tick-borne encephalitis foci identified by satellite data 15

KAMHAWI, S., MODI, G. B., PIMENTA, P. F. P., ROWTON, E. and SACKS, D. L. The vectorial competence of *Phlebotomus sergenti* is specific for *Leishmania tropica* and is controlled by species-specific, lipophosphoglycan-mediated midgut attachment 25

SHAW, M. K., HE, C. Y., ROOS, D. S. and TILNEY, L. G. Proteasome inhibitors block intracellular growth and replication of *Toxoplasma gondii* 35

BARTLETT, A., BROWN, M., MARRIOTT, C. and WHITFIELD, P. J. The infection of human skin by schistosome cercariae: studies using Franz cells 49

KENNEDY, C. R. and HARTVIGSEN, R. A. Richness and diversity of intestinal metazoan communities in brown trout *Salmo trutta* compared to those of eels *Anguilla anguilla* in their European heartlands 55

MORAND, S., CRIBB, T. H., KULBICKI, M., RIGBY, M. C., CHAUVET, C., DUFOUR, V., FALIEX, E., GALZIN, R., LO, C. M., LO-YAT, A., PICHELIN, S. and SASAL, P. Endoparasite species richness of New Caledonian butterfly fishes: host density and diet matter 65

NIMETH, K., ZWERGER, P., WÜRTZ, J., SALVENMOSER, W. and PELSTER, B. Infection of the glass-eel swimbladder with the nematode *Anguillicola crassus* 75

KAO, R. R., LEATHWICK, D. M., ROBERTS, M. G. and SUTHERLAND, I. A. Nematode parasites of sheep: a survey of epidemiological parameters and their application in a simple model 85

SMITH, A. G. and MCKERR, G. Tritiated thymidine ([^{3}H]-TdR) and immunocytochemical tracing of cellular fate within the asexually dividing cestode *Mesocestoides vogae* (syn. *M. corti*) 105

BOOK REVIEWS 111

PART 2 AUGUST 2000

PICHON, G., AWONO-AMBENE, H. P. and ROBERT, V. High heterogeneity in the number of *Plasmodium falciparum* gametocytes in the bloodmeal of mosquitoes fed on the same host 115

ANTHONY, T. G., TRUEMAN, H. E., HARBACH, R. E. and VOGLER, A. P. Polymorphic microsatellite markers identified in individual *Plasmodium falciparum* oocysts from wild-caught *Anopheles* mosquitoes 121

SMITH, T. G., LOURENÇO, P., CARTER, R.,, WALLIKER, D. and RANFORD-CARTWRIGHT, L. C. Commitment to sexual differentiation in the human malaria parasite, *Plasmodium falciparum* 127

HO, L. C., ARMUGAM, A., JEYASEELAN, K., YAP, E. H. and SINGH, M. *Blastocystis* elongation factor-1α: genomic organization, taxonomy and phylogenetic relationships 135

WOOLLARD, D. J., HEATH, D. D. and LIGHTOWLERS, M. W. Assessment of protective immune responses against hydatid disease in sheep by immunization with synthetic peptide antigens 145

IMASE, A., KOBAYASHI, K., OHMAE, H., IRIE, Y. and IWAMURA, Y. Horizontal and vertical transfer of mouse endogenous retroviral DNA sequences in schistosomes 155

MAIR, G. R., MAULE, A. G., DAY, T. A. and HALTON, D. W. A confocal microscopical study of the musculature of adult *Schistosoma mansoni* 163

CONTENTS

PART 1 JULY 2000

DURAISINGH, M. T., VON SEIDLEIN, L., JEPSON, A., JONES, P., SAMBOU, I., PINDER, M. and WARHURST, D. C. Linkage disequilibrium between two chromosomally distinct loci associated with increased resistance to chloroquine in *Plasmodium falciparum* 1

SNOWDEN, K. F., LOGAN, K. and PHALEN, D. N. Isolation and characterization of an avian isolate of *Encephalitozoon hellem* 9

RANDOLPH, S. E., GREEN, R. M., PEACEY, M. F. and ROGERS, D. J. Seasonal synchrony: the key to tick-borne encephalitis foci identified by satellite data 15

KAMHAWI, S., MODI, G. B., PIMENTA, P. F. P., ROWTON, E. and SACKS, D. L. The vectorial competence of *Phlebotomus sergenti* is specific for *Leishmania tropica* and is controlled by species-specific, lipophosphoglycan-mediated midgut attachment 25

SHAW, M. K., HE, C. Y., ROOS, D. S. and TILNEY, L. G. Proteasome inhibitors block intracellular growth and replication of *Toxoplasma gondii* 35

BARTLETT, A., BROWN, M., MARRIOTT, C. and WHITFIELD, P. J. The infection of human skin by schistosome cercariae: studies using Franz cells 49

KENNEDY, C. R. and HARTVIGSEN, R. A. Richness and diversity of intestinal metazoan communities in brown trout *Salmo trutta* compared to those of eels *Anguilla anguilla* in their European heartlands 55

MORAND, S., CRIBB, T. H., KULBICKI, M., RIGBY, M. C., CHAUVET, C., DUFOUR, V., FALIEX, E., GALZIN, R., LO, C. M., LO-YAT, A., PICHELIN, S. and SASAL, P. Endoparasite species richness of New Caledonian butterfly fishes: host density and diet matter 65

NIMETH, K., ZWERGER, P., WÜRTZ, J., SALVENMOSER, W. and PELSTER, B. Infection of the glass-eel swimbladder with the nematode *Anguillicola crassus* 75

KAO, R. R., LEATHWICK, D. M., ROBERTS, M. G. and SUTHERLAND, I. A. Nematode parasites of sheep: a survey of epidemiological parameters and their application in a simple model 85

SMITH, A. G. and MCKERR, G. Tritiated thymidine ([^{3}H]-TdR) and immunocytochemical tracing of cellular fate within the asexually dividing cestode *Mesocestoides vogae* (syn. *M. corti*) 105

BOOK REVIEWS 111

PART 2 AUGUST 2000

PICHON, G., AWONO-AMBENE, H. P. and ROBERT, V. High heterogeneity in the number of *Plasmodium falciparum* gametocytes in the bloodmeal of mosquitoes fed on the same host 115

ANTHONY, T. G., TRUEMAN, H. E., HARBACH, R. E. and VOGLER, A. P. Polymorphic microsatellite markers identified in individual *Plasmodium falciparum* oocysts from wild-caught *Anopheles* mosquitoes 121

SMITH, T. G., LOURENÇO, P., CARTER, R.,, WALLIKER, D. and RANFORD-CARTWRIGHT, L. C. Commitment to sexual differentiation in the human malaria parasite, *Plasmodium falciparum* 127

HO, L. C., ARMUGAM, A., JEYASEELAN, K., YAP, E. H. and SINGH, M. *Blastocystis* elongation factor-1α: genomic organization, taxonomy and phylogenetic relationships 135

WOOLLARD, D. J., HEATH, D. D. and LIGHTOWLERS, M. W. Assessment of protective immune responses against hydatid disease in sheep by immunization with synthetic peptide antigens 145

IMASE, A., KOBAYASHI, K., OHMAE, H., IRIE, Y. and IWAMURA, Y. Horizontal and vertical transfer of mouse endogenous retroviral DNA sequences in schistosomes 155

MAIR, G. R., MAULE, A. G., DAY, T. A. and HALTON, D. W. A confocal microscopical study of the musculature of adult *Schistosoma mansoni* 163

CARABIN, H., CHAN, M.-S. and GUYATT, H. L. A population dynamic approach to evaluating the impact of school attendance on the unit cost and effectiveness of school-based schistosomiasis chemotherapy programmes 171

TRUDGETT, A., MCNAIR, A. T., HOEY, E. M., KEEGAN, P. S., DALTON, J. P., RIMA, B. K., MILLER, A. and RAMASAMY, P. The major tegumental antigen of *Fasciola hepatica* contains repeated elements 185

DIVINA, B. P., WILHELMSSON, E., MATTSSON, J. G., WALLER, P. and HÖGLUND, J. Identification of *Dictyocaulus* spp. in ruminants by morphological and molecular analyses 193

MATSUO, A., WU, Z., NAGANO, I. and TAKAHASHI, Y. Five types of nuclei present in the capsule of *Trichinella spiralis* 203

FAIRBAIRN, J. P., FENTON, A., NORMAN, R. A. and HUDSON, P. J. Re-assessing the infection strategies of the entomopathogenic nematode *Steinernema feltiae* (Rhabditidae; Steinernematidae) 211

SUTHERLAND, I. A., BROWN, A. E. and LEATHWICK, D. M. Selection for drug-resistant nematodes during and following extended exposure to anthelmintic 217

PART 3 SEPTEMBER 2000

HOSHEN, M. B., HEINRICH, R., STEIN, W. D. and GINSBURG, H. Mathematical modelling of the within-host dynamics of *Plasmodium falciparum* 227

HOSHEN, M. B., NA-BANGCHANG, K., STEIN, W. D. and GINSBURG, H. Mathematical modelling of the chemotherapy of *Plasmodium falciparum* malaria with artesunate: postulation of 'dormancy', a partial cytostatic effect of the drug, and its implication for treatment regimens 237

BRUCE, M. C., DONNELLY, C. A., PACKER, M., LAGOG, M., GIBSON, N., NARARA, A., WALLIKER, D., ALPERS, M. P. and DAY, K. P. Age- and species-specific duration of infection in asymptomatic malaria infections in Papua New Guinea 247

BRUCE, M. C., GALINSKI, M. R., BARNWELL, J. W., DONNELLY, C.A., WALMSLEY, M., ALPERS, M. P., WALLIKER, D. and DAY, K. P. Genetic diversity and dynamics of *Plasmodium falciparum* and *P. vivax* populations in multiply infected children with asymptomatic malaria infections in Papua New Guinea 257

BANNISTER, L. H., HOPKINS, J. M., FOWLER, R. E., KRISHNA, S. and MITCHELL, G. H. Ultrastructure of rhoptry development in *Plasmodium falciparum* erythrocytic schizonts 273

POULIN, R., STEEPER, M. J. and MILLER, A. A. Non-random patterns of host use by the different parasite species exploiting a cockle population 289

MATUSCHKA, F.-R., SCHINKEL, T. W., KLUG, B., SPIELMAN, A. and RICHTER, D. Relative incompetence of European rabbits for Lyme disease spirochaetes 297

CHISHOLM, L. A. and WHITTINGTON, I. D. Egg hatching in 3 species of monocotylid monogenean parasites from the shovelnose ray *Rhinobatos typus* at Heron Island, Australia 303

MCHUGH, E. S., SHINN, A. P. and KAY, J. W. Discrimination of the notifiable pathogen *Gyrodactylus salaris* from *G. thymalli* (Monogenea) using statistical classifiers applied to morphometric data 315

FELLOWES, R. A, MAULE, A. G., MARTIN, R. J., GEARY, T. G., THOMPSON, D. P., KIMBER, M. J., MARKS, N. J. and HALTON, D. W. Classical neurotransmitters in the ovijector of *Ascaris suum*: localization and modulation of muscle activity 325

PART 4 OCTOBER 2000

AL SEROURI, A. W., GRANTHAM-MCGREGOR, S. M., GREENWOOD, B. and COSTELLO, A. Impact of asymptomatic malaria parasitaemia on cognitive function and school achievement of schoolchildren in the Yemen Republic 337

WILLIAMS, D. J. L., GUY, C. S., McGARRY, J. W., GUY, F., TASKER, L., SMITH, R. F., MacEACHERN, K., CRIPPS, P. J., KELLY, D. F. and TREES, A. J. *Neospora caninum*-associated abortion in cattle: the time of experimentally-induced parasitaemia during gestation determines foetal survival 347

COUZINET, S., DUBREMETZ, J. F., BUZONI-GATEL, D., JEMINET, G. and PRENSIER, G. *In vitro* activity of the polyether ionophorous antibiotic monensin against the cyst form of *Toxoplasma gondii* 359

FRAME, M. J., MOTTRAM, J. C. and COOMBS, G. H. Analysis of the roles of cysteine proteinases of *Leishmania mexicana* in the host–parasite interaction 367

BOISSIER, J. and MONÉ, H. Experimental observations on the sex ratio of adult *Schistosoma mansoni*, with comments on the natural male bias 379

HARROP, R., JENNINGS, N., MOUNTFORD, A. P., COULSON, P. S. and WILSON, R. A. Characterization, cloning and immunogenicity of antigens released by transforming cercariae of *Schistosoma mansoni* 385

KRIST, A. C., LIVELY, C. M., LEVRI, E. P. and JOKELA, J. Spatial variation in susceptibility to infection in a snail–trematode interaction 395

HIGO, H., YANAGI, T., MATTA, V., AGATSUMA, T., CRUZ-REYES, A., UYEMA, N., MONROY, C., KANBARA, H. and TADA, I. Genetic structure of *Trypanosoma cruzi* in American continents: special emphasis on sexual reproduction in Central America 403

SOLOMON, A., SALOMON, R., PAPERNA, I. and GLAZER, I. Desiccation stress of entomopathogenic nematodes induces the accumulation of a novel heat-stable protein 409

BOHAN, D. A. Spatial structuring and frequency distribution of the nematode *Steinernema feltiae* Filipjev 417

SURES, B., JÜRGES, G. and TARASCHEWSKI, H. Accumulation and distribution of lead in the archiacanthocephalan *Moniliformis moniliformis* from experimentally infected rats 427

BISHOP, S. C. and STEAR, M. J. The use of a gamma-type function to assess the relationship between the number of adult *Teladorsagia circumcincta* and total egg output 435

BISEROVA, N. M., DUDICHEVA, V. A., TERENINA, N. B., REUTER, M., HALTON, D. W., MAULE, A. G. and GUSTAFSSON, M. K. S. The nervous system of *Amphilina foliacea* (Platyhelminthes, Amphilinidea). An immunocytochemical, ultrastructural and spectrofluorometrical study 441

NADLER, S. A., D'AMELIO, S., FAGERHOLM, H.-P., BERLAND, B. and PAGGI, L. Phylogenetic relationships among species of *Contracaecum* Railliet & Henry, 1912 and *Phocascaris* Høst, 1932 (Nematoda: Ascaridoidea) based on nuclear rDNA sequence data 455

PART 5 NOVEMBER 2000

SILVESTRINI, F., ALANO, P. and WILLIAMS, J. L. Commitment to the production of male and female gametocytes in the human malaria parasite *Plasmodium falciparum* 465

BALMER, P., ALEXANDER, J. and PHILLIPS, R. S. Protective immunity to erythrocytic *Plasmodium chabaudi* AS infection involves IFNγ-mediated responses and a cellular infiltrate to the liver 473

FRIEDRICH, C., INGOLIC, E., FREITAG, B., KASTBERGER, G., HOHMANN, V., SKOFITSCH, G., NEUMEISTER, U. and KEPKA, O. A myxozoan-like parasite causing xenomas in the brain of the mole, *Talpa europaea* L., 1758 (Vertebrata, Mammalia) 483

FLEURY, F., VAVRE, F., RIS, N., FOUILLET, P. and BOULÉTREAU, M. Physiological cost induced by the maternally-transmitted endosymbiont *Wolbachia* in the *Drosophila* parasitoid *Leptopilina heterotoma* 493

SOUTHGATE, V. R., TCHUEM TCHUENTÉ, L. A., THÉRON, A., JOURDANE, J., LY, A., MONCRIEFF, C. B. and GRYSEELS, B. Compatibility of *Schistosoma mansoni* Cameroon and *Biomphalaria pfeifferi* Senegal 501

RODRIGUES, L. C., WHEELER, J. G., SHIER, R., GUERRA, H. L., PIMENTA, F. JR and LIMA E COSTA, M. F. F. Predicting the community prevalence of schistosomiasis mansoni from the prevalence among 7- to 14-year-olds 507

VIVAS-MARTÍNEZ, S., BASÁÑEZ, M.-G., BOTTO, C., ROJAS, S., GARCÍA, M., PACHECO, M. and CURTIS, C. F. Amazonian onchocerciasis: parasitological profiles by host-age, sex, and endemicity in southern Venezuela 513

VIVAS-MARTÍNEZ, S., BASÁÑEZ, M.-G., BOTTO, C., VILLEGAS, L., GARCÍA, M. and CURTIS, C. F. Parasitological indicators of onchocerciasis relevant to ivermectin control programmes in the Amazonian focus of southern Venezuela 523

TERHELL, A. J., PRICE, R., KOOT, J. W. M., ABADI, K. and YAZDANBAKHSH, M. The development of specific IgG4 and IgE in a paediatric population is influenced by filarial endemicity and gender 535

LOUKAS, A., DOEDENS, A., HINTZ, M. and MAIZELS, R. M. Identification of a new C-type lectin, TES-70, secreted by infective larvae of *Toxocara canis*, which binds to host ligands 545

COLLINS, C. M. and CUNNINGHAM, C. O. Characterization of the *Gyrodactylus salaris* Malmberg, 1957 (Platyhelminthes: Monogenea) ribosomal intergenic spacer (IGS) DNA 555

PÉREZ-SERRANO, J., MARTÍNEZ, J., REGAL, P., BERNADINA, W. E. and RODRÍGUEZ-CAABEIRO, F. Prior immunity to *Trichinella spiralis* prevents (re)occurrence of an explicit stress response in intestines but not in mesenteric lymph nodes, heart and lungs from reinfected rats 565

PART 6 DECEMBER 2000

SCHALL, J. J. Transmission success of the malaria parasite *Plasmodium mexicanum* into its vector: role of gametocyte density and sex ratio 575

PEUVEL, I., DELBAC, F., METENIER, G., PEYRET, P. and VIVARES, C. P. Polymorphism of the gene encoding a major Polar Tube Protein PTP1 in two microsporidia of the genus *Encephalitozoon* 581

DUBEY, J. P., KERBER, C. E., LINDSAY, D. S., KASAI, N. and PENA, H. F. J. The South American opossum, *Didelphis marsupialis*, from Brazil as another definitive host for *Sarcocystis speeri* Dubey and Lindsay, 1999 589

BURKOT, T. R., SCHNEIDER, B. S., PIENIAZEK, N. J., HAPP, C. M., RUTHERFORD, J. S., SLEMENDA, S. B., HOFFMEISTER, E., MAUPIN, G. O. and ZEIDNER, N. S. *Babesia microti* and *Borrelia bissettii* transmission by *Ixodes spinipalpis* ticks among prairie voles, *Microtus ochrogaster*, in Colorado 595

POLMAN, K., DE VLAS, S. J., GRYSEELS, B. and DEELDER, A. M. Relating serum circulating anodic antigens to faecal egg counts in *Schistosoma mansoni* infections: a modelling approach 601

VIDIGAL, T. H. D. A., KISSINGER, J. C., CALDEIRA, R. L., PIRES, E. C. R., MONTEIRO, E., SIMPSON, A. J. G. and CARVALHO, O. S. Phylogenetic relationships among Brazilian *Biomphalaria* species (Mollusca: Planorbidae) based upon analysis of ribosomal ITS2 sequences 611

CABLE, J., HARRIS, P. D. and BAKKE, T. A. Population growth of *Gyrodactylus salaris* (Monogenea) on Norwegian and Baltic Atlantic salmon (*Salmo salar*) stocks 621

BETTS, C. J., DESCHOOLMEESTER, M. L. and ELSE, K. J. *Trichuris muris*: $CD4^+$ cell-mediated protection in reconstituted SCID mice 631

GELDHOF, P., CLAEREBOUT, E., KNOX, D. P., AGNEESSENS, J. and VERCRUYSSE, J. Proteinases released *in vitro* by the parasitic stages of the bovine abomasal nematode *Ostertagia ostertagi* 639

MCDONNELL, A., LOVE, S., TAIT, A., LICHTENFELS, J. R. and MATTHEWS, J. B. Phylogenetic analysis of partial mitochondrial cytochrome oxidase c subunit I and large ribosomal RNA sequences and nuclear internal transcribed spacer I sequences from species of Cyathostominae and Strongylinae (Nematoda, Order Strongylida), parasites of the horse 649

McLAUCHLAN, P. E., ROBERTS, H. C. and CHAPPELL, L. H. Mode of action of cyclosporin A against *Hymenolepis microstoma* (Cestoda): relationship between cyclophilin binding and drug-induced damage 661

KASUGA-AOKI, H., TSUJI, N., SUZUKI, K., ISOBE, T. and YOSHIHARA, S. Identification of surface proteins and antigens from larval stages of *Ascaris suum* by two-dimensional electrophoresis 671